Village Office 31 N. Main Street Homer, NY 13077

Phone: 607-7-19-3322 www.HomerNY.org



Village Police: 607-749-2022
Newton Water Works: 607-749-2511
Glenwood Cemetery: 607-749-3517
Streets and Parks: 607-749-3813
Recreation: 607-749-2161
Codes: 607-745-3177
Homer Fire Department: 607-749-3121

#### BOARD OF TRUSTEES MEETING AGENDA

September 11th, 2019

- 1. Regular Meeting of the Board of Trustees called to order by Deputy Mayor Patrick Clune
- 2. Approve Minutes -August 15th & 29th, 2019
- 3. Treasurer's report:
  - A. Authorize payment of bills
    - F & G Funds Vouchers
    - > A Fund Vouchers
- 4. Report of Offices and filing of written reports: Cemetery, Codes, DPW, Farmers' Market, Fire Department, Police Department, Recreation, Water & Sewer.
- 5. Privilege of the Floor
- 6. Old Business
  - A. Discuss Final Sign Concepts
  - B. Moving October Board Meeting to Tuesday 10/8/19
- 7. New Business
  - A. Review Fire Fighter Application
  - B. Approve Bottle Station
  - C. Approve Video Conferencing
  - D. Approve release of liens for the attached CDBG Program Recipients
  - E. Allow DM3 of Cortland, LLC to cut, remove and replace tow trees within the Right-of-Way in front of 9 North Main Street
  - F. Recognize Liz Donnelly & Bruno Garnier and Accept a Donation at a \$700.00 Value for the Handicapped Accessible Swing for Newton Park
  - G. Accept Donation of \$26,800.00 from Homer Little League for Upgrades to Griggs Field from Homer Little League
  - H. Approve Garald Homer as a Crossing Guard at \$11.60 per hour
  - I. Approve Emergency Pool Program
- 8. Attorney
- 9. Comments by Board Members
- 10. Executive Session Per NYS Public Officers Law, Article 7 §105
- 11. Adjournment

Village Office 31 N. Main Street Homer, NY 13077 Phone: 607-749-3322 www.HomerNY.org



Village Police: 607-749-2022
Newton Water Works: 607-749-2511
Glenwood Cemetery: 607-749-3517
Streets and Parks: 607-749-3813
Recreation: 607-749-2161
Codes: 607-745-3177
Homer Fire Department: 607-749-3121

#### August 2019 Glenwood Cemetery Report

Submitted by James Toolan, Sexton

- Mowing and trimming is ongoing.
- Fixed the water leak below the shed.
- Foundations installed were ten.
- There were three burials.
- Gallons of gas for the mowers was 99, Trimmers used 7 gallons of mixed gas.
- Gallons of diesel used for truck #22 was 20. Note, truck was at Dovi Motors for exhaust tube replacement and gasket. Tube was \$333.78, Gasket was \$97.08, Labor was \$370.50 for a total repair cost \$801.36. Time out of service was three weeks.

## Village of Homer CODE ENFORCEMENT OFFICE

31 N. Main St Homer, NY 13077

Kevin J. McMahon **NYS Code Certified** 

Phone 607-749-3322 Cell 607-745-0004

# MONTHLY ACTIVITY REPORT Aug. 2019 Current Month Year to 6

|                                      | Current Month | Year to date* |
|--------------------------------------|---------------|---------------|
| Building Permits Issues              | 5             | 32            |
| Building Permit Renewals             |               |               |
| Expired Building Permit Notices      |               | 1             |
| Building Permit Inquiries            | 6             | 27            |
| Flood Plain Permits/Special Use Perm | it            |               |
| Demo Permit Issues                   |               |               |
| Solar Permit Issues                  |               |               |
| Fireworks Permits                    |               |               |
| Plan Reviews                         | 12            | 37            |
| Certificates of Occupancy Issued     |               | 1             |
| Certificates of Compliance Issued    | 1             | 18            |
| Temporary C of O Issued              |               | 1             |
| Complaints filed                     | 5             | 37            |
| Compliance/ Violation Notices        | 15            | 36            |
| Stop Work Order Issued               |               | 1             |
| Closed out Permits                   |               |               |
| Permits, Reviews, Notices -totals    | 44            | 191           |
| Fees Collected                       | \$201.00      | \$1,865.00    |
| Construction Cost                    | \$25,695.00   | \$520,621.00  |

| Inspections:                       |     |     |
|------------------------------------|-----|-----|
| Site visit-inspections             | 65  | 342 |
| Foundations/Footers/Post Holes     | 6   | 22  |
| Framing / Structural inspections   | 13  | 78  |
| Mechanical inspections             | 5   | 22  |
| Insulation inspection              |     | 11  |
| Final, pre-final Inspection        | 2   | 22  |
| Chimney / wood burning devices     |     |     |
| Swimming Pool inspections          | 1 7 | 4   |
| Total Inspections                  | 92  | 501 |
| Training Classes (24 hrs annually) | 6   | 34  |
|                                    |     |     |

Printed: September 03, 2019

# Village of Homer Permit Monthly Report

| August 31, 2019 |  |
|-----------------|--|
| To              |  |
| August 01, 2019 |  |
| From            |  |

| Amount                   |        | \$43.00                         | \$45.00                                                                               | \$43.00                                                                          | \$35.00                                                                                                                    | \$35.00                                                           |
|--------------------------|--------|---------------------------------|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Valuation                |        | \$5,800.00                      | \$7,200.00                                                                            | \$10,500.00                                                                      | \$1,200.00                                                                                                                 | \$995.00                                                          |
| Property Location<br>SBL |        | 1 Durkee Ave<br>66.73-01-32.000 | 8 Suits Ave<br>66.40-01-11.000                                                        | 112 S Main St<br>76.34-01-61.000                                                 | 52 N Main St<br>66.66-02-14.000                                                                                            | 27 Park Ave<br>76.33-01-33.000                                    |
| Document Type            |        | V Pole Barn - Sheds             | V Structural Repairs                                                                  | V Deck                                                                           | V Deck                                                                                                                     | V Deck                                                            |
| Owner                    |        | Peter Griswold                  | 19-31 Greg and Stacy Brown reroof project by Jonathon Fahev- tear off and replacement | 19-32 Eric Clark 24 x 20 two layer deck at 112 S Main St by Triple R Contracting | 19-33 8/19/2019 R. Edward Porter 12 x 12 deck at rear of home by owner plus $3 \times 3$ landing and steps at rear of barn | Bonnie Ellis<br>owner                                             |
| Issue Date               |        | 8/5/2019                        | 8/9/2019<br>Jonathon Fahev- te                                                        | 8/14/2019<br>- deck at 112 S Main                                                | 8/19/2019<br>ear of home by owne                                                                                           | 19-34 8/23/2019 B<br>6 x 17 floating deck at front entry by owner |
| Description of Work      | August | V19-30 8                        | V19-31                                                                                | V19-32<br>24 x 20 two layer                                                      | V19-33 12 x 12 deck at r.                                                                                                  | V19-34<br>6 x 17 floating de                                      |

\$201.00

\$25,695.00

Total

August

## Daily Report & Mileage-Village of Homer

| Date     | Aug-19                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Miles |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 8/1/2019 | July month end reports completed and turned in / 112 S Main St-final inspection-pool-issued CofC to mail to owner / 1-5 N Main St-returned call to bldr-ques on alarm system and I told him about the conversation with the owner confirming the need for it / Ift vm w owner-1 Durkee Ave-bldgprmtpkt-need BP1 and fee / Cortland St, James St, Park St, Cayuga St-site visits / 7 Pine St-Complaint-tall weeds-called owner-will get them trimmed soon /                                                                                  | 3.2   |
| 8/2/2019 | Center St, Cortland St, N Fulton St, Maple Ave, Elm St-site visits / 27 Clinton St-no activity yet for NofV just sent out-site visit / N Main St, Warren St, Clinton St site visits / Issued 6 Notices of Compliance to: 7 Clinton St, 14 Clinton St, 26 Warren St, 29 Cayuga St, 4-1/2 Cherry St, 4 Holley Drive for trash curbside and car parking on lawns / 45 Copeland Ave-Ift vm w chimney work vs no bldgprmt needed / office visit w DepMyr-need to find letter for non involvement of Village at 8 Meadow Drive /                  |       |
| 8/5/2019 | 8 Meadow Drive-issued the letter copy to DpMyr for the ditch business / site visit per bldr request-issues w front step rebuild vs sidewalk step to remove-20 Clinton St / Clinton St, Maple Ave, Elm St-site visits / issued bldgprmt V19-30-deck to owner 1 Durkee Ave to mail out-pd \$43 / subdivision plan review-Suits Ave proposal for 2 new lots on Suits Ave for Planning Board-all in order / changing bldgprmt template design / modifying bldgprmt template in IPS / James St, N West St site visits - N William St, Grove St / |       |
| 8/6/2019 | site visits-Cayuga St, Cortland St, Copeland Ave, Park Ave / follow up to Violation for 60 Cortland St-stopped for site visit and told owner to clean up by end of week or else it's court -emailed neighbor for update/ site visit-follow up to Complaint for privacy fence screeing-corner of Park and Copeland / working on bldgprmt template for updates / 1-5 N Main St-plumbing inspection-failed-need to research and return call for bldr for venting issues/ Main St, Albany St site visits /                                      |       |
| 8/7/2019 | all day training in Big Flatts-plumbing Code issues -6 CEU's /                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2     |

| 8/8/2019  | site visits for Complaint follow ups to tall grass-Hannum Ave, Cayuga St, Cortland St / 60 Cortland St-trailer still on front lawn, junk still piled out back / 45 Copeland Ave-site visit-chimney repair / site visit-bldgs and grounds for High School-spoke w crew and spoke w Superintendent for taking down privacy screening -agreed to do so, needing 30' min of line of site/ returned call to 61 N Main St-ques on second dwelling-R2 not allowed / returned call for 70 Clinton St inquiry for contacts by potential buyer/ 3 Morgan Drive-site visit-issued Compliance Notice-not zoned for flower sales-mailed out regular mail to owner-follow up to Complaints / 25 Clinton St met w owner-progress next door for cleanup, had vm fr neighbor to return call for site visit / Cherry St, Nixon Ave, Morgan Drive, Center St-site visits / left vm's for two different roofing applications dropped off yesterday for missing info / | 4.2 |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 8/9/2019  | Park Ave, Copeland Ave, Cortland St site visits / privacy screening not removed yet / 1 John St-site visit and pool inspection-not complete yet / office visit and issued bldgprmt-reroof 8 Suits Ave-pd \$45 / follow up to Complaint for Cayuga St lawn-site visit, need to send new NofV / Durwood Ave, John St, Michael St, N Main St site visits / Complaints filed for King St w vehicles on lawn parking and camper to follow up with / 1 Durkee Ave-site visit-prep for deck building / site visits-King St-follow up to camper and car parking Complaints / N Fulton St, Prospect St, Durkee Ave, King St site visits /                                                                                                                                                                                                                                                                                                                  | 5.3 |
| 8/10/2019 | Code research for plumbing, venting, returned call to bldr -1-5 N Main St-discussed options for fixing new installation /                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |     |
| 8/12/2019 | Clinton St site visits / returned calls for Compliance Order replies-14 Clinton St-explained about large trash items vs Village pick up/ 10 King St-issued Notice of Compliance-camper on side-front yard - regular mail/ James St, Cortland St, Park Ave, Copeland Ave site visits / site visit for fence screening corner of Park and Copeland- removed per request /                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |     |
| 8/13/2019 | 60 Cortland St-follow up site visit for NofV and junk on front lawn-cleaned up okay / James St, William St-site visits for driveway widths per calls rec'd / Franklin St, Prospect St, Maple Ave, Elm St-site visits / 18-Elm Ave-site visit-car on lawn-issued Compliance Order-sent regular mail / returned call for subdivision request at Franklin and NW Street / 21 Cayuga St-issued Notice of Compliance for tall weeds and grass-sent reg mail /3 Morgan Dr-returned call fr owner-issued Compliance notice for plant sales-explained about farmers market as an alternative / 1 Durkee Ave-framing inspection-deck / Fulton St, Cayuga St, Albany St-site visits /                                                                                                                                                                                                                                                                       |     |
|           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 5.6 |

| 8/14/2019 | River St, Albany St, Pine St, Main St-site visits / 21 Pine St-site visit- no new activity, no replacement window yet / 15 Pine St-site visit- weeds gone, sidewalk clear-follow up to Complaint filed / 19-1/2 Warren St-site visit-porch demo started for rebuild / site visits-Willow Park Dr E, N Fulton, Durkee Ave, King St/ 13 King St-camper parked on lawn-need to send notice to-site visit / responded to email fr Cayuga St-lawns and vehicles / 29 Cayuga St-issued Zoning Compliance letter to atty for sale of property / 112 S Main St-issued bldgprmt-deck-pd \$43 / office visit w resident-ques on demo for parsonage garage-Cayuga St /                                                                                                                                                                                                                                                                | 5.2 |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 8/15/2019 | 29 Cayuga St-per atty's request, reworded letter of Zoning Compliance including rentals and flower shop / Dept. Head meeting w updates / Copeland Ave, S Main St,James St-site visits / Nixon Ave, Morgan Dr, Center St-site visits-flower sale signs gone per order / 112 S Main St-site visit, post hole inspection per bldr request -deck permit/ 13 King St-issued Compliance Order-reg mail for camper on side yard / 12 Albany St-issue Notice of Compliance-trash on front porch-regular mail /                                                                                                                                                                                                                                                                                                                                                                                                                     | 5.1 |
| 8/19/2019 | 27 Park Ave-plan review for deck-Code research needed for spans and setbacks and call owner/ 52 N Main St-office visit, plan review, issued bldgprmtpkt-deck -issued bldgprmt pd \$35-to mail out/ 10 King St-returned call to owner-camper violation was written wrong-second driveway is the issue-site visit / 8 Suits Ave-framing inspection-reroof w new underlayment-back roof being installed / Stanford Drive, Rte 281, King St, Main St site visits / 10 King St-camper okay, second drive not-site visit / 1 Durkee Ave-framing inspection, no new activity-deck / 1-5 N Main St-plumbing inspection-failed-pvc leaks to fix / 112 S Main St-post hole inspection-replacement deck / issued bldgprmt-52 N Main St-office visit, plan review, pd \$35-mailing to owner / office visit w DepMyr-book box folks didn't attend VlgBd mtg to discuss / 12 Albany St-verified w email that NofV was issued for trash / | 7.6 |
| 8/20/2019 | site visit w team for repaving and new sidewalks at C4arts-discussing drainage issues, neighboring properties etc, met w local contractor later on for specs req'd on sidewalks per Village Codes / 1-5 N Main St-plumbing inspection-north side-supply, drain and venting passed / 27 Park Ave-returned call to owner w bldgprmtpkt-porch-needs revamping vs set backs and framing details / met w Chair for PB-subdivision ques and recap for Center St w two homes on one lot /                                                                                                                                                                                                                                                                                                                                                                                                                                         | 3   |

| 8/21/2019 | 27 Park Ave-site visit w owner-porch plans need modifying-floating                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
|           | only -owner to drop off plans first thing next week / W Road, Center St, Park Ave, Copeland Ave, Wolf Rd-site visits / 1130 Wolf Rd-site visit, no new activity-new home / 8 Suits Ave-final inspection-roof complete-issued CofC for file / W Road, Cayuga St, S Fulton St, N Fulton St, Prospect St-site visits / 4 King St-site visit-extra parking spot-need to issue Notice of Compliance / Balmoral Way, Hooker Ave, N Main St-site visits / 46 Cortland St-returned call to AIA for updates on rebuild at nursing home / 110 N Main St-final inspection-above ground pool by Canon-need to issue CofC / 19-1/2 Warren St-site visit-no new activity / site visit-12 Albany St-garbage bags still on porch-need to ck on status of removal /                                                                                                                                                                 | 6.2 |
| 8/22/2019 | W Road, Prospect St-follow up site visits for garbage can Complaints and trash-no real action required -need to keep watch/ 13 King St-returned call to owner for patio vs setback questions / 27 Park Ave-plan review-new bldgprmtpkt-ok, need to contact owner to pay fee for permit / 112 S Main St-framing inspection-pool deck install / 26 Warren St-plan review for interior and exterior remodel-need more info / 4 King St-issued Order of Compliance-regular mail for second illegal driveway / 12 Albany St-site visit-garbage bags still on porch /                                                                                                                                                                                                                                                                                                                                                    | 4.4 |
| 8/23/2019 | 1-5 N Main St-office visit, plan review, site visit, foundation inspection, plumbing inspection-elevator shaft details to change / 27 Park Ave-issued bldgprmt #V19-34-pd \$35-small floating deck-to mail to owner / Rte 11, Wall St, Elm St, Maple Ave, Warren St-site visits-no cars on lawns / 112 S Main St-framing inspection-carrying beams in place for deck / 12 Albany St-site visit, no change, issued Notice of Violation-mailing reg and Cert for garbage on porch-no sign of mail being picked up / rear sidewalk at Ctr4arts in place-site visit / 52 N Main St-site visit-layout for deck started / 15 S W St-responded to design firm w Zoning requirements for B2 district / 26 Warren St-lft vm for bldgprmtpkt plan review items to email/ 7 Stanford Drive-spoke w bldr-items to address for resubmittal of bldgprmtpkt / 70 Clinton St-site visit-grass okay so far-follow up to NofV sent / | 3.3 |
| 8/26/2019 | returned call to AIA -46 Cortland St-arranging walk through for updates to senior center, spoke w plumber to meet up-Code research for dfu compliance / emails and correspondence for 15 SW St / site visits W Road, King St, Durkee Ave / 1 Durkee Ave-framing inspection-deck-railing installation / framing inspection-8 King St-shed almost complete / N Fulton St, Clinton St, Warren St, Main St site visits / 19.5 Warren St-framing inspection-started w joists / 7 Stanford Ave-Code research for rafter lengths / framing inspection-112 S Main St-pool deck /                                                                                                                                                                                                                                                                                                                                           | 3.3 |

|           | Total mileage for August                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 102.2 |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
|           | / returned email to owner w Complaints on grass, parking etc-Cayuga St /                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 3.8   |
| 8/30/2019 | footer inspection-stairs on south entry-18 Cayuga St-rebar in place / Dept. Head Safety meeting-a.m. / office visit w ZBA Chair-Center St, office visit w DepMyr and Myr-signage refurbishing-Rec bldg / 12 Albany St-returned call fr owner-response to NofV sent for garbage on front porch to get rid of / returned call-57 N Main-to add info for permit resubmittal on porch and pergola after my plan review / 9 Franklin St-plan review and bldgprmtpkt-porch framing and flooring renovations                                                                                                                                   |       |
| 8/29/2019 | Complaint fr email 30 Cayuga St-parking on lawn picture-did site visit, none found / site visit-church on green-guys setting up to demo steps, spoke w bldr-agent to get w me on the bldgprmt / 47 N Fulton St-issued Order of Compliance-garbage and junk violation-regular mail / S Main St, Copeland Ave, Park Ave, Center St-site visits / framing inspection 112 S Main-pool deck / 18 Cayuga St-site visit-Methodist Church-old stair removal for replacement /                                                                                                                                                                   | 4.1   |
| 8/28/2019 | 112 S Main St-framing inspection-porch pool / returned call 82 Cortland St-ques on shed size and setbacks-told them I'll contact Village Atty for help with this shed being under sized vs site plan review-emailed Atty for help / 27 Park Ave-foundation inspection- deck brackets in place on slab by owner / S William St, N William St, Grove St, N Fulton, Warren St, Main St, Cayuga St -site visits / need to ck into house on crnr of N Fulton and Clinton St-garbage bags / emailed BP-1 and more plan review items needed for 26 Warren St remodel / bldgprmtpkt plan review 57 N Main-need to call bldr for items missing / | 3.8   |
|           | site visits-Rte 90, Cayuga St, Cortland St, Nixon Ave, Morgan Drive / 46 Cortland St-framing inspection, plumbing inspection, site visit paving review-met w owner rep, mgr, AIA, plumber / 19.5 Warren St-framing inspection-not passing-texted bldr for items to address -deck frame / 26 Warren St-did plan review for remodel and emailed owner w items missing / 4 King St-returned call-NofV sent for second driveway-owner going to stop using it-told them to block it off and reseed it / 15 SW St-emailed more info to developer for zoning req / Main St, Pine St, River St, Albany St-site visits /                         | 3.5   |

Submitted By: Kevin J. McMahon

#### Printed 9/3/19

### **Permit Status Report**

August 01, 2015 - August 31, 2019 For Permit Type: All

|                     | A 12 4                                                       | For Permit Type:                         |                          | Donnit Ture                  | Tecuad            | Status         |
|---------------------|--------------------------------------------------------------|------------------------------------------|--------------------------|------------------------------|-------------------|----------------|
| Permit # Descript   | Applicant<br>ion of Work                                     | Parcel Location                          | SBL#                     | Permit Type                  | Issued            | Status         |
| V18-37<br>Sign refo | Rerob LLC<br>acing at 30 S West St for gas                   | 30 S West St<br>s station                | 66.80-01-26.0            | V Structural Repairs         | 9/11/2018         | Open           |
| V18-46              | DeWayne Block<br>Building LLC                                | 23 South Main St                         |                          | V Commercial construction    | 11/8/2018         | Open           |
|                     | ory wood frame multi use by<br>ching third floor-R2 square   |                                          | w 2590 sf retail fil     | rst floor, 1 Two bdrm + 2    | ? Sgl bdrm apts   | second floor,  |
| V18-49              | Renee Neiderman                                              | 1 S Main St                              |                          | V Commercial construction    | 12/11/2018        | Open           |
|                     | renovations to upper floors                                  |                                          |                          |                              | 10/18/0010        | 0              |
| V18-50              | Jennifer & Robert<br>Reeve                                   | 19 Lora Ln                               | 66.50-01-14.0            | V New Residential<br>Const   | 12/13/2018        | Open           |
| renewal             | permit for two story addition                                | on at 510 sf by owner                    |                          |                              |                   |                |
| V18-51              | Moxy Properties LLC                                          | 4 Center St                              | 76.25-03-10.0            | V Demolition Work            | 12/14/2018        | Open           |
| demoliti            | on and removal of old soyb                                   | ean plant by Contento                    | 's Demolition            |                              |                   |                |
| V19-01              | Lauren Osborne                                               | 1130 Wolf Rd                             | 76.31-01-01.2            | 2 V New Residential<br>Const | 1/28/2019         | Open           |
|                     | tom ranch home on Superio                                    | or walkout foundation                    | by Hamilton Builde       | ers @1714 s.f. with 3 bd     | rms, 2 bths, plus | s attached 2   |
| car gard<br>V19-03  | nge at 1130 Wolf Rd<br>Homer Village                         | N West St                                | 66.64-01-35.0            | V Pole Barn - Sheds          | 2/22/2019         | Open           |
| 12 x 30             | Recreation Dept. portable shed at Calale Fie                 | eld for storage of equit                 | ment for Homer V         | illage Rec Dept.             |                   |                |
| V19-14              | Howard Reed                                                  |                                          | and the second second    | V Pole Barn - Sheds          | 5/9/2019          | Open           |
|                     | hed by owner                                                 | Howard Reed & Rin                        | g 51 00.05-01-25.        | o v i oto Batti Onedo        | 317/2017          | open.          |
| V19-15<br>Repair    | Cort-A-North LLC of 4 unit building apartmen                 |                                          |                          | 0 V Structural Repairs       | 5/9/2019          | Open           |
| V19-18              | 46 Cortland St<br>LLC                                        | 46 Cortland St                           | 76.26-01-09.0            | 0 V Structural Repairs       | 5/23/2019         | Open           |
|                     | ofing with porch and repair<br>Facility on 46 Cortland St. o |                                          |                          | erior stair work, fire esc   | ape repairs, etc. | at the Assiste |
| V19-23              | 2 Pros Construction                                          |                                          |                          | 0 V New Residential<br>Const | 6/6/2019          | Open           |
| 14 x 16             | kitchen addition on piers b                                  | y 2 Pros Construction                    | w remodel                |                              |                   |                |
| V19-25              | Jessica and Robert<br>VanDee                                 | 1 John St.                               | 66.50-03-30.             | 0 V Swimming Pools           | 7/3/2019          | Open           |
| used ab             | ove ground 24' swimming p                                    | oool w removable ladd                    | ler by owner             |                              |                   |                |
| V19-26              | Kevin & Debra<br>Slack                                       | 9-11 N W Street                          | 66.72-03-21.             | 1 V Swimming Pools           | 7/9/2019          | Open           |
| 24' roui            | nd above ground replaceme                                    | nt pool by Tarson Poo                    | ls at 9 NW Street        |                              |                   |                |
| V19-27              | Bobbi Jo & Charles<br>Wilbur                                 | 110 N Main St                            | 66.50-02-14.             | 0 V Swimming Pools           | 7/18/2019         | Open           |
| 24' abo             | ve ground pool by Canon                                      |                                          |                          |                              |                   |                |
| V19-29<br>8 x 23 f  | Christine Koehler front porch rebuild                        | 19-1/2 Warren St                         | 66.58-01-10.             | .0 V Structural Repairs      | 7/29/2019         | Open           |
| V19-30              | Peter Griswold  deck by owner                                | 1 Durkee Ave                             | 66.73-01-32              | .0 V Pole Barn - Sheds       | 8/5/2019          | Open           |
|                     |                                                              | 110 0 14-1- 04                           | 76 24 01 61              | 0 V Dools                    | 8/14/2019         | Onen           |
| V19-32<br>24 x 20   | Eric Clark<br>I two layer deck at 112 S Mo                   | 112 S Main St<br>ain St by Triple R Cont | 76.34-01-61.<br>tracting | O V Deck                     | 0/14/2019         | Open           |

| Permit # Descript | Applicant<br>tion of Work  | Parcel Location         | SBL#             | Permit Type | Issued    | Status |
|-------------------|----------------------------|-------------------------|------------------|-------------|-----------|--------|
| V19-33            | R. Edward Porter           | 52 N Main St            |                  | 14.0 V Deck | 8/19/2019 | Open   |
| 12 x 12           | deck at rear of home by ov | vner plus 3 x 3 landing | and steps at red | ar of barn  |           |        |
| V19-34            | Bonnie Ellis               | 27 Park Ave             | 76.33-01-        | 33.0 V Deck | 8/23/2019 | Open   |
| 6 x 17 fl         | oating deck at front entry | by owner                |                  |             |           |        |

Total # Permits: 19

Cell: 607-345-7174

Village Office 31 N. Main Street Homer, NY 13077 Phone: 607-749-3322 www.HomerNY.org



Village Police: 607-749-2022 Newton Water Works: 607-749-2511 Glenwood Cemetery: 607-749-3517

Streets and Parks: 607-749-3813

Recreation: 607-749-2161 Codes: 607-745-3177

#### August 2019 Monthly Report

Submitted by Supervisor Mike Harter and Working Foreman Phil Stockton

#### **Streets**

- Paved King and Bartlett Street.
- Continued patching of streets.
- Started pruning of street trees that are over hanging in the streets.
- Continued picking brush.
- Set up for Magic on Main.
- Put football goals up at Calale Park.
- Put new pad in for new building at Calale Park.
- Set new building at Calale Park.
- Started new list of bad signs in the Village.
- Dug ditch out by the school garage for drainage, Town of Homer assisted.
- Fixed remaining planter boxes.
- Topsoiled and put grindings in driveways on King Street.
- Replaced broken garbage cans at pavilion at Durkee Park.
- Continue sweeping of streets.
- Watering flowers every day.
- Cut small maple down on village green.
- Continued hauling old compost to Cemetery.
- Cut 2 big maples at Newton Park.
- Fixed lights and doors at Newton Park. By the Water Dept.
- Worked on cutting vines off water tower fence.
- Lined basketball courts.
- Put new basketball hoops up.
- Working on finishing painting the salt shed.
- Made a list for NYSEG for trees in wires in the Village.
- Put new sign up at South Fulton and Cayuga Street that was run over.

Village Office 31 N. Main Street Homer, NY 13077 Phone: 607-749-3322 www.HomerNY.org



Village Police: 607-749-2022
Newton Water Works: 607-749-2511
Glenwood Cemetery: 607-749-3517
Streets and Parks: 607-749-3813
Recreation: 607-749-2161
Codes: 607-745-3177
Homer Fire Department: 607-749-3121

#### Homer Farmers' Market Report

Submitted by Kristen Case September 10, 2019

#### **Updates:**

- We have moved across the street to in front of the Rec Building. We were displaced because of the trees being cut on the Green. It's a great location and we are going to keep it.
- Our SNAP sales have gone up from last year. These are great programs that I am hoping that more people will
  utilize.
- Our new iPad is working great for our SNAP customers; thanks to Seven Valleys Health Coalition and CAPCO
- We have some new vendors interested in the possibility of a Winter Market; possibly once a month. Current vendors might be interested as well.
- Thank you to Heart 2 Head Pillows who was with us this past Saturday

#### Incident Type Report (Summary)

#### Alarm Date Between {08/01/2019} And {08/31/2019}

| Incident Type                                  | Count | Pct of<br>Incidents | otal<br>Loss | Pct of<br>Losses |
|------------------------------------------------|-------|---------------------|--------------|------------------|
| 3 Rescue & Emergency Medical Service Incident  |       | 8                   |              |                  |
| 311 Medical ass.st, assist EMS crew            | 2     | 5.26%               | \$0          | 0.00%            |
| 322 Motor vehicle accident with injuries       | 2     | 5.26%               | \$0          | 0.00%            |
| 324 Motor Vehicle Accident with no injuries    | 2     | 5.26%               | \$0          | 0.00%            |
|                                                | 6     | 15.78%              | \$0          | 0.00%            |
|                                                |       |                     |              |                  |
| 4 Hazardous Condition (No Fire)                |       |                     |              |                  |
| 412 Gas leak (natural gas or LPG)              | 1     | 2.63%               | \$0          | 0.00%            |
| 444 Power line down                            | 1     | 2.63%               | \$0          | 0.00%            |
| 445 Arcing, shorted electrical equipment       | 1     | 2.63%               | \$0          | 0.00%            |
|                                                | 3     | 7.89%               | \$0          | 0.00%            |
|                                                |       |                     |              |                  |
| 5 Service Call                                 |       |                     |              |                  |
| 551 Assist police or other governmental agency | 1     | 2.63%               | \$0          | 0.00%            |
| 561 Unauthorized arrning                       | 1     | 2.63%               | \$0          | 0.00%            |
| 571 Cover assignment, standby, moveup          | 3     | 7.89%               | \$0          | 0.00%            |
|                                                | 5     | 13.15%              | <br>\$0      | 0.00%            |
|                                                |       |                     |              |                  |
| 6 Good Intent Call                             |       |                     |              |                  |
| 611 Dispatched v carcelled en route            | 4     | 10.52%              | \$0          | 0.00%            |
| 6111 Dispatched and ancelled en route by Law   | 1     | 2.63%               | \$0          | 0.00%            |
| 622 No Incident cound on arrival at dispatch   | 2     | 5.26%               | \$0          | 0.00%            |
| 6221 No FD Services needed upon arrival at     | 1     | 2.63%               | \$0          | 0.00%            |
| 631 Authorized controlled burning              | 1     | 2.63%               | \$0          | 0.00%            |
|                                                | 9     | 23.68%              | \$0          | 0.00%            |
|                                                |       |                     |              |                  |
| 7 False Alarm & False Call                     |       |                     |              |                  |
| 736 CO detector activation due to malfunction  | 2     | 5.26%               | \$0          | 0.00%            |
| 745 Alarm system activation, no fire -         | 2     | 5.26%               | \$0          | 0.00%            |
| 746 Carbon monoxide detector activation, no CO | 2     | 5.26%               | \$0          | 0.00%            |
|                                                | 6     | 15.78%              | \$0          | 0.00%            |
|                                                |       |                     |              |                  |
| 8 Severe Weather & Natural Disaster            |       | 22 622              | 0.0          | 0.000            |
| 813 Wind storm, conado/hurricane assessment    | 9     | 23.68%              | <br>\$0      | 0.00%            |
|                                                | 9     | 23.68%              | \$0          | 0.00%            |

Total Incident Count: 38

Total Est Loss:

\$0

#### Incident Type Report (Summary)

#### Alarm Date Between {08/01/2019} And {08/31/2019} and District = "VH "

|                                                |       | Pct of    | Total    | Pct of |
|------------------------------------------------|-------|-----------|----------|--------|
| Incident Type                                  | Count | Incidents | Est Loss | Losses |
| 3 Rescue & Emergency Medical Service Incident  |       |           | 10       |        |
| 311 Medical assist, assist EMS crew            | 1     | 6.66%     | \$0      | 0.00%  |
| 324 Motor Vehicle Accident with no injuries    | 1     | 6.66%     | \$0      | 0.00%  |
|                                                | 2     | 13.33%    | \$0      | 0.00%  |
|                                                |       |           |          |        |
| 4 Hazardous Condition (No Fire)                |       |           |          |        |
| 412 Gas leak (natural gas or LPG)              | 1     | 6.66%     | \$0      | 0.00%  |
| 444 Power line down                            | 1     | 6.66%     | \$0      | 0.00%  |
| 445 Arcing, shorted electrical equipment       | 1     | 6.66%     | \$0      | 0.00%  |
|                                                | 3     | 20.00%    | \$0      | 0.00%  |
|                                                |       |           |          |        |
| 6 Good Intent Call                             |       |           |          |        |
| 611 Dispatched & cancelled en route            | 1     | 6.66%     | \$0      | 0.00%  |
| 622 No Incident found on arrival at dispatch   | 1     | 6.66%     | \$0      | 0.00%  |
|                                                | 2     | 13.33%    | \$0      | 0.00%  |
| 7 False Alarm & False Call                     |       |           |          |        |
| 736 CO detector activation due to malfunction  | 2     | 13.33%    | \$0      | 0.00%  |
| 745 Alarm system activation, no fire -         | 1     | 6.66%     | \$0      | 0.00%  |
| 746 Carbon monoride detector activation, no CO | 1     | 6.66%     | \$0      | 0.00%  |
|                                                | 4     | 26.66%    | \$0      | 0.00%  |
|                                                |       |           |          |        |
| 8 Severe Weather & Natural Disaster            |       |           |          |        |
| 813 Wind storm, tornado/hurricane assessment   | 4     | 26.66%    | \$0      | 0.00%  |
|                                                | 4     | 26.66%    | \$0      | 0.00%  |

Total Incident Count: 15

Total Est Loss: \$0

#### Incident Type Report (Summary)

#### Alarm Date Between {08/01/2019} And {08/31/2019} and District = "TH "

|                                               |          | Pct of    | Total    | Pct of |
|-----------------------------------------------|----------|-----------|----------|--------|
| Incident Type                                 | Count    | Incidents | Est Loss | Losses |
| 3 Rescue & Emergency Medical Service Incident |          |           | 4 0      |        |
| 322 Motor vehicle accident with injuries      | 2        | 16.66%    | \$0      | 0.009  |
| 324 Motor Vehicle Accident with no injuries   | 1        | 8.33%     | \$0      | 0.009  |
|                                               | 3        | 25.00%    | \$0      | 0.009  |
|                                               |          |           |          |        |
|                                               |          |           |          |        |
| 6 Good Intent Call                            |          |           |          |        |
| 611 Dispatched & cancelled en route           | 1        | 8.33%     | \$0      | 0.009  |
| 622 No Incident found on arrival at dispatch  | 1        | 8.33%     | \$0      | 0.009  |
| 6221 No FD Services needed upon arrival at    | 1        | 8.33%     | \$0      | 0.00   |
|                                               | 3        | 25.00%    | \$0      | 0.009  |
|                                               |          |           |          |        |
| 7 False Alarm & False Call                    |          |           |          |        |
| 745 Alarm system activation, no fire -        | 1        | 8.33%     | \$0      | 0.00   |
|                                               | 1        | 8.33%     | \$0      | 0.009  |
| 8 Severe Weather & Natural Disaster           |          |           |          |        |
| 813 Wind storm, tornado/hurricane assessment  | 5        | 41.66%    | \$0      | 0.009  |
|                                               | 5        | 41.66%    | \$0      | 0.009  |
|                                               |          |           |          |        |
| Total Incident Count: 12                      | Total Es | t Loss:   | \$0      |        |

#### Incident Type Report (Summary)

#### Alarm Date Between {08/01/2019} And {08/31/2019} and District = "TS "

| Incident Type                                  | Count | Pct of<br>Incidents | Total<br>Est Loss | Pct of<br>Losses |
|------------------------------------------------|-------|---------------------|-------------------|------------------|
| 5 Service Call                                 |       |                     |                   |                  |
| 551 Assist police or other governmental agency | 1     | 33.33%              | \$0               | 0.00             |
| 561 Unauthorized burning                       | 1     | 33.33%              | \$0               | 0.00             |
|                                                | 2     | 66.66%              | \$0               | 0.00%            |
| 7 False Alarm & Faise Call                     |       |                     |                   |                  |
| 746 Carbon monoxide detector activation, no CO | 1     | 33.33%              | \$0               | 0.00             |
|                                                | 1     | 33.33%              | \$0               | 0.00             |
|                                                |       |                     |                   |                  |
| ,                                              |       |                     |                   |                  |

Total Incident Count: 3

Total Est Loss:

#### Incident Type Report (Summary)

#### Alarm Date Between {08/01/2019} And {08/31/2019} and District = "SH "

| Incident Type .                               | Count | Pct of<br>Incidents | Total<br>Est Loss | Pct of<br>Losses |
|-----------------------------------------------|-------|---------------------|-------------------|------------------|
| 3 Rescue & Emergency Medical Service Incident |       |                     | _ w_u             |                  |
| 311 Medical assist, assist EMS crew           | 1     | 50.00%              | \$0               | 0.00%            |
|                                               | 1     | 50.00%              | \$0               | 0.00%            |
| 6 Good Intent Call                            |       |                     |                   |                  |
| 631 Authorized controlled burning             | 1     | 50.00%              | \$0               | 0.00%            |
|                                               | 1     | 50.00%              | \$0               | 0.009            |
|                                               |       |                     |                   |                  |

Total Incident Count: 2

Total Est Loss:

\$0

#### Incident Type Report (Summary)

#### Alarm Date Between {08/01/2019} And {08/31/2019} and District = "CV "

| Incident Type                               | Count | Pct of<br>Incidents | Total<br>Est Loss | Pct of<br>Losses |
|---------------------------------------------|-------|---------------------|-------------------|------------------|
| 6 Good Intent Call                          |       |                     |                   |                  |
| 6111 Dispatched & cancelled en route by Law | 1     | 100.00%             | \$0               | 0.00%            |
|                                             | 1     | 100.00%             | \$0               | 0.00%            |

Total Incident Count: 1

Total Est Loss:

\$0

#### Incident Type Report (Summary)

#### Alarm Date Between {08/01/2019} And {08/31/2019} and District = "MA "

| Incident Type                         | Count | Pct of<br>Incidents | Total<br>Est Loss | Pct of<br>Losses |
|---------------------------------------|-------|---------------------|-------------------|------------------|
| 5 Service Call                        |       |                     |                   |                  |
| 571 Cover assignment, standby, moveup | 3     | 60.00%              | \$0               | 0.00%            |
|                                       | 3     | 60.00%              | \$0               | 0.00%            |
| 6 Good Intent Call                    |       |                     |                   |                  |
| 611 Dispatched & cancelled en route   | 2     | 40.00%              | \$0               | 0.00%            |
|                                       | 2     | 40.00%              | \$0               | 0.00%            |

Total Incident Count: 5

Total Est Loss:

#### Staff Activity by Activity Code (Summary)

Date Between {08/01/2019} And {08/31/2019} and Activity Code In "FX", "MX"

| Activity Code           | Staff Count | Total Hrs | Pct Hrs |
|-------------------------|-------------|-----------|---------|
| FX Fire alarm response. | 498         | 320.53    | 93.92%  |
| MX Medical At Scene     | 20          | 20.72     | 6.07%   |
|                         | 518         | 341.25    |         |

Chief of Police Robert Pitman

Sergeant Roland Eckard

Records Clerk Kimberly Reitano

#### HOMER POLICE DEPARTMENT

43 ½ JAMES STREET HOMER, New York 13077 (607) 749-2022 FAX: (607) 749-3675 homerpolice@yahoo.com

EMERGENCY DIAL 911

August 2019 Monthly report

Date: August 27, 2019

For the time period: 07/26/19 - 08/26/19

Mayor and members of the board,

#### **Patrol Monthly Activities:**

Please refer to the attached detailed reports for last month. There were a total of 476 calls for service during the month of August. Officers made 10 Penal Law arrests in August, which consisted of 1 violation, 6 misdemeanor, 2 felonies and an violation of probation (warrant). They conducted a total of 70 vehicle and traffic stops, which resulted in 29 traffic tickets being issued. They also investigated 11 motor vehicle collisions, 3 of which involved personal injuries.

Notable investigations or incidents during the month of August: criminal mischief/criminal tampering outside a residential living facility; a burglary at the Community Building; a physical domestic where an individual was arrested for menacing, criminal possession of a weapon, criminal obstruction of breathing, unlawful imprisonment, harassment, criminal mischief and endangering the welfare of a child and a lost property, possible larceny complaint involving a deposit.

#### **School Officers Reports:**

No school resource officer's report due to summer vacation.

#### Recent updates:

Security cameras updates: No issues with the current cameras during the month of August.

Patrol vehicle updates: No issues with the patrol vehicles regarding maintenance. No further information regarding the delivery date of the 2020 Ford Explorer that will be replacing the 2016 Ford Taurus (126).

Bike patrol updates: There has been an increase in bike patrols over the past few weeks, mainly during the evenings or on Saturdays.

Grant updates: As reported in the July monthly report, we awarded \$4,884.00 by the governor's traffic safety committee for the police traffic services program in 2020. The 2020 grant period will begin on October 1, 2019. During the month of September we will be utilizing the remaining balance of the awarded 2019 traffic safety grant, which expires on September 30, 2019.

Ballistic Vests: It has been brought to my attention that some officers that have been with the department for a period of time that their ballistic vests have expired or will expire (vests are rated to expire between 5 and 8 years, depending on factors). There are federal and state grants that will cover the entire cost of vest for new officers. However, there is no state funding for replacement vests for officers but there is federal funding up to 50%. The federal grant funding period is typically January through April and it takes several months to manufacture the vests. Therefore, officers have been directed to order replacement vests through our current vendor and I will be applying for the grant when it opens.

#### Miscellaneous and Events:

The Route 90 Sales were the last week of July (July 26, 2019 and July 27, 2019). We posted temporary no parking signs on the south side of Cayuga St (Route 90) during the sale which prevented parking or traffic issues.

The annual Cops on Top event was held on October 2, 2019. Officers with the Homer Police, the Cortland Police Department, the Cortland County Sheriff's Office, the New York State Police, SUNY Cortland University Police, the Cortland County District Attorney's Office and law enforcement agencies across Central New York, participated in this event to raise funds for the Special Olympics. Of the 55 Dunkin Donuts locations in the Central New York Area, \$87,457.51 was raised (\$1,342.57was raised at the Homer location). Also during the event, officer's and athlete's recognized the former Dunkin Donut's store manager, Michael Howitt, who passed away on January 6, 2019, with a memorial plaque that will be placed inside the store.

Magic on Main was on August 16, 2019. There were no issues during the event but it appears that this event is growing in popularity each year. There were well over 1,000 people in attendance this year. I would like to take time to recognize everyone involved with this event, specifically the officers that covered it, the fire department and department of public works employees. Everyone came together as a team to set up for the event, cover it and then clean up afterwards.

Phillips Free Library's "End of Summer Reading Party" was on August 17, 2019. The party made four stops before ending at the library. The stops included the Homer Police Department, the. Village/Town Hall, the Homer Fire Station, the Elizabeth Brewster House. At each location someone read to the party.

School will be starting on September 4, 2019. I have been in contact with all of the school resource officers and they will all be returning on the aforementioned date.

In conclusion, on August 29, 2019, officers will be conducting commercial vehicle safety inspections with the New York State Police Commercial Vehicle Enforcement Unit and safety inspectors with the New York State Department of Transportation in the lower parking lot of the high school off from Copeland Ave. This inspection is in response to the increase of commercial vehicles traveling through the village to avoid the inspection station on Interstate 81 in Preble. Vehicles will be inspected for safety issues in an effort to save lives and reduce injuries.

Respectfully submitted,

Robert H. Pitman Chief of Police

Village of Homer Police Department



## Homer Police Department Law Total Incident Report, by Agency, Nature

Agency: HOMER VILLAGE POLICE DEPT

| Nature of Incident              | Total Incidents |
|---------------------------------|-----------------|
| 911 HANG UP                     | 2               |
| ADMINISTRATIVE                  | 3               |
| POLICE ALARM                    | 4               |
| ANIMAL PROBLEM                  | 5               |
| ASSIST                          | 41              |
| ATTEMPT TO LOCATE               | 1               |
| BURGLARY                        | 1               |
| CIVIL ONLY                      | 1               |
| CRIMINAL MISCHIEF               | 2               |
| SPECIAL DETAIL                  | 9               |
| DISORDERLY CONDUCT              | 4               |
| DISTURBANCE                     | 5               |
| DOMESTIC                        | 5               |
| DRUG INVESTIGATION              | 1               |
| DSS ASSIST/HOME VISIT           | 2               |
| EMOTIONALLY DISTURBED PERSON    | 4               |
| EMS                             | 1               |
| FIELD INVESTIGATION             | 6               |
| FOLLOW UP INVESTIGATION/ACTION  | 2               |
| FOUND PROPERTY                  | 1               |
| FRAUD                           | 2               |
| HARASSMENT                      | 2               |
| INFORMATION                     | 1               |
| INVESTIGATION                   | 4               |
| JUVENILE PROBLEM                | 2               |
| LARCENY                         | 5               |
| MISSING PERSON                  | 2               |
| NOISE COMPLAINT                 | 3               |
| PARKING COMPLAINT               | 5               |
| PROPERTY DAMAGE MVA             | 8               |
| PERSONAL INJURY MVA             | 3               |
| PROPERTY CHECK                  | 235             |
| SEX CRIME                       | 1               |
| SUSPICIOUS                      | 10              |
| TRAFFIC PROBLEM                 | 8               |
| TRESPASSING                     | 1               |
| TRAFFIC STOP                    | 70              |
| VEHICLE COMPLAINT               | 5               |
| WARRANT ARREST                  | 2               |
| PERSON WITH A WEAPON            | 1               |
| WELFARE CHECK                   | 6               |
| Total Incidents for This Agency | 476             |

Village Office 31 N. Main Street Homer, NY 13077 Phone: 607-749-3322 www.HomerNY.org



Village Police: 607-749-2022
Newton Water Works: 607-749-2511
Glenwood Cemetery: 607-749-3517
Streets and Parks: 607-749-3813
Recreation: 607-749-2161
Codes: 607-745-3177
Homer Fire Department: 607-749-3121

#### September 2019 Recreation Monthly Report

Submitted by Recreation Director Zack Pollak

#### **Recreation Updates:**

Visit villageofhomer.recdesk.com for more information or to register for programs

#### Football:

- o **Tackle:** 84 kids split across 2 Junior and 2 Senior teams. + 10 ~ kids this year while programs around us shrink. First scrimmage was this past weekend. All coaches are happy and meshing very well with each other. I am having trouble getting volunteers to run chains and score board as always. EMT's have also been an issue. We still need one for this weekend.
- o Flag: 27 kids, we will split into 2 teams this week. Numbers slightly lower than years past, likely due to lower school enrollment numbers.
- O Developing a plan to start replacing old, worn down and broken equipment. We have not replaced any training or practice equipment in many years, even before I took the job, other than helmets and practice pants. We need tackling equipment, push bags and shield, etc.

#### • Cheer:

o 35 girls total, 20 Junior Cheer, 15 Senior Cheer. We have a new coach as of this week.

#### John Tobin Basketball League:

- o New league created this year, organized primarily by the CYB. Grades 3 6 boys and girls. All games will be played in Cortland to keep the gyms/basket height consistent, along with having consistent, certified officials.
- O Determining if we will have "Select" basketball teams this year that we send down to Binghamton for stiffer competition. I'd prefer to have several rec teams, though we have done a good job competing out of the area. TBD.
- Shed: New shed was delivered last month, excellent. I am able to organize most of the football equipment appropriately now and will be able to hang all the jerseys rather than stuff them into containers. They will last longer and look better when hung vs folded into containers.
- Griggs is looking great. I encourage everyone to take a look at the work they are doing.

Village Office 31 N. Main Street Homer, NY 13077 Phone: 607-749-3322 www.HomerNY.org



Village Police: 607-749-2022
Newton Water Works: 607-749-2511
Glenwood Cemetery: 607-749-3517
Streets and Parks: 607-749-3813
Recreation: 607-749-2161
Codes: 607-745-3177
Homer Fire Department: 607-749-3121

#### August 2019 Water & Sewer Report

Submitted by Lawrence Barber

#### **Water Department Updates:**

- Repaired curb stop at the old Carl's Kwik Shake on North West Street.
- Repair curb stop at Ken Teeter House on Clinton Street.
- Helped Street Dept. blacktopping King St. and Bartlett Ave.
- Put in a new meter at 43 North Main Street.
- Turning curb stop, checking for leaks and making sure it works.
- Keith came in at 4:00 AM as we had a pump down on Hooker Ave.
- Helped with grinding on King Street and Bartlett Ave.
- Did lead & copper testing for Department of Health.
- Marking out water and sewer lines for DDS on James Street, Clinton Street, N Main Street.
- Repaired the Hydrant at James Street and Bartlett Ave.
- Starting Hydrant flushing

#### **Sewer Department Updates:**

- Worked on Hooker Ave. controls and found we had a problem with one of the floats.
- Pulled number one pump at Hooker Ave. It had a rag in it.
- Replaced the sewer trap at Calale Park.

#### New Updates:

The water is now in at the Barber Block Building.